INDEX TO AUTHORS

A

ALEXANDER, J. V. See REICHLE and ALEXANDER, 489

ARGETSINGER, JOAN. The isolation of ciliary basal bodies (kinetosomes) from *Tetrahymena pyriformis*, 154

ASHHURST, DOREEN E. Mitochondrial particles seen in sections, 497

AVAKYAN, A. A., and BYCKOVSKY, A. F. Ontogenesis of human smallpox virus, 337

B

BAKER, PATRICIA C. Fine structure and morphogenic movements in the gastrula of the treefrog, *Hyla regilla*, 95

BILS, R. F. See STEPHENS and BILS, 500

BLUM, JACOB J. Observations on the acid phosphatases of *Euglena gracilis*, 223

—. See SOMMER and BLUM, 235

BORLE, ANDRÉ B., and NEUMAN, WILLIAM F. Effects of parathyroid hormone on HeLa cell cultures, 316

BOUCK, G. BENJAMIN. See CRONSHAW and BOUCK, 415

BUCK, ROBERT C. See KRISHAN and BUCK, 433

BUNGE, MARY BARTLETT. See BUNGE, BUNGE, and PETERSON, 163

BUNGE, RICHARD P., BUNGE, MARY BARTLETT, and PETERSON, EDITH R. An electron microscope study of cultured rat spinal cord, 163

BURDE, RONALD M. See SEDAR and BURDE, 285

BYCKOVSKY, A. F. See AVAKYAN and BYCKOVSKY, 337

C

CLEVELAND, L. R. See GRIMSTONE and CLEVELAND, 387

COCKING, E. C. See GREGORY and COCKING, 143

CRONSHAW, JAMES, and BOUCK, G. BENJAMIN. The fine structure of differentiating xylem elements, 415

D

DAVID-FERREIRA, J. F., and MANAKER, R. A. An electron microscope study of the development of a mouse hepatitis virus in tissue culture cells, 57

DAVIES, H. G. See TOOZE and DAVIES, 146

DEMEL, R. See ELBERS, VERVERGAERT, and DEMEL, 23

E

ECHLIN, PATRICK. An apparent helical arrangement of ribosomes in developing pollen mother cells of *Ipomoea purpurea* (L.) Roth, 150

ELBERS, P. F., VERVERGAERT, P. H. J. T., and DEMEL, R. Tricomplex fixation of phospholipids, 23

ELLIOTT, WILLARD B. See KANCZAK, KRALL, HAYES, and ELLIOTT, 259

G

GILL, D. M. An improved method for the isolation of rat liver nuclei by density centrifugation, 157

GREGORY, D. W., and COCKING, E. C. The large-scale isolation of protoplasts from immature tomato fruit, 143

GRIMSTONE, A. V., and CLEVELAND, L. R. The fine structure and function of the contractile axostyles of certain flagellates, 387

GUNNING, B. E. S. The fine structure of chloroplast stroma following aldehyde–osmium tetroxide fixation, 79

H

HAMA, KIYOSHI. Some observations on the fine structure of the lateral line organ of the Japanese sea eel *Lyncozymba nystromi*, 193

HAUMONT, STANISLAS. See VINCENT, HAUMONT, and ROELS, 31

HAYASHI, KIYOHARU. See OKI, YOSHIOKA, HAYASHI, and MASUDA, 328

HAYES, E. RUSSELL. See KANCZAK, KRALL, HAYES, and ELLIOTT, 259

I

ICHIKAWA, ATSUSHI. Fine structural changes in response to hormonal stimulation of the perfused canine pancreas, 369

K

KANCZAK, NORBERT M., KRALL, JOSEPH I., HAYES, E. RUSSELL, and ELLIOTT, WILLARD B. Lysosomal fractions from transitional epithelium, 259

KESSEL, R. G. Intranuclear and cytoplasmic annulate lamellae in tunicate oocytes, 471

KRALL, JOSEPH I. See KANCZAK, KRALL, HAYES, and ELLIOTT, 259

KRISHAN, AWTAR, and BUCK, ROBERT C. Structure of the mitotic spindle in L strain fibroblasts, 433

L

LANDAU, JOSEPH V. High hydrostatic pressure effects on *Amoeba proteus*. Changes in shape, volume, and surface area, 332

LEESON, C. ROLAND, and LEESON, THOMAS S. An unusual arrangement of ribosomes in mesenchymal cells, 324

LEESON, THOMAS S. See LEESON and LEESON, 324
LEWIN, JOYCE C. See REIMANN, LEWIN, and VOLCANI, 39
LUCK, DAVID J. L. Formation of mitochondria in *Neurospora crassa*. A study based on mitochondrial density changes, 461
—. The influence of precursor pool size on mitochondrial composition in *Neurospora crassa*, 445

M

MANAKER, R. A. See DAVID-FERREIRA and MANAKER, 57
MASUDA, MASASUKE. See OKI, YOSHIOKA, HAYASHI, and MASUDA, 328
MATOLTSY, A. GEDEON, and PARAKKAL, PAUL F. Membrane-coating granules of keratinizing epithelia, 297
MOLLENHAUER, HILTON H. An intercisternal structure in the Golgi apparatus, 504
MOURAD, EFFAT BADR. Evidence for cytoplasmic DNA in root cells of *Nicotiana*, 267

N

NEUMAN, WILLIAM F. See BORLE and NEUMAN, 316
NORTHCOTE, D. H. See WOODING and NORTHCOTE, 117

O

OKI, KEIICHI, YOSHIOKA, SADAOMI, HAYASHI, KIYOHARU, and MASUDA, MASASUKE. Mitochondrial changes induced by iron absorption in the duodenal absorptive cells of rats, 328
OVERTON, JANE. Changes in cell fine structure during lens regeneration in *Xenopus laevis*, 211

P

PARAKKAL, PAUL F. See MATOLTSY and PARAKKAL, 297
PETERSON, EDITH R. See BUNGE, BUNGE, and PETERSON, 163
PRENSKY, WOLF, and SMITH, HAROLD H. The mechanism of 5-aminouracil–induced synchrony of cell division in *Vicia faba* root meristems, 401

R

REICHLE, R. E., and ALEXANDER, J. V. Multiperforate septations, Woronin bodies, and septal plugs in *Fusarium*, 489
REIMANN, B. E. F., LEWIN, JOYCE C., and VOLCANI, B. E. Studies on the biochemistry and fine structure of silica shell formation in diatoms. I. The structure of the cell wall of *Cylindrotheca fusiformis* Reimann and Lewin, 39
ROELS, JOSEPH. See VINCENT, HAUMONT, and ROELS, 31

S

SATIR, P., and STUART, A. M. A new apical microtubule-associated organelle in the sternal gland of *Zootermopsis nevadensis* (Hagen), Isoptera, 277
SEDAR, ALBERT W., and BURDE, RONALD M. Localization of the succinic dehydrogenase system in *Escherichia coli* using combined techniques of cytochemistry and electron microscopy, 285
SHERIDAN, MICHAEL N. The fine structure of the electric organ of *Torpedo marmorata*, 129
SLAUTTERBACK, DAVID B. Mitochondria in cardiac muscle cells of the canary and some other birds, 1
SMITH, HAROLD H. See PRENSKY and SMITH, 401
SOMMER, JOACHIM R. The ultrastructure of the pellicle complex of *Euglena gracilis*, 253
—, and BLUM, JACOB J. Cytochemical localization of acid phosphatases in *Euglena gracilis*, 235
STEPHENS, R. J., and BILS, R. F. An atypical mitochondrial form in normal rat liver, 500
STEVENS, BARBARA J. The fine structure of the nucleolus during mitosis in the grasshopper neuroblast cell, 349
STUART, A. M. See SATIR and STUART, 277
SUSKIND, R. GERALD. Autoradiographic and cytochemical evidence for synthesis of a lysine-containing ribonucleoprotein in nucleoli inhibited by Actinomycin D, 309

T

TOOZE, J., and DAVIES, H. G. Cytolysomes in amphibian erythrocytes, 146

V

VERVERGAERT, P. H. J. T. See ELBERS, VERVERGAERT, and DEMEL, 23
VINCENT, JACQUES, HAUMONT, STANISLAS, and ROELS, JOSEPH. Microscopic determination of bone phosphorus by quantitative autoradiography of neutron-activated sections, 31
VOLCANI, B. E. See REIMANN, LEWIN, and VOLCANI, 39

W

WILLS, E. J. Crystalline structures in the mitochondria of normal human liver parenchymal cells, 511
WOODING, F. B. P., and NORTHCOTE, D. H. The fine structure and development of the companion cell of the phloem of *Acer pseudoplatanus*, 117

Y

YOSHIOKA, SADAOMI. See OKI, YOSHIOKA, HAYASHI, and MASUDA, 328

INDEX TO SUBJECTS

A

Acid phosphatases, of protozoa *Euglena gracilis*, biochemical study, 223
— phosphatases, of protozoa *Euglena gracilis*, cytochemical and light and EM study, 235
Aminouracil-induced synchrony of cell division, mechanism of in root meristems of bean *Vicia faba*, autoradiographic study, 401
Annulate lamellae, intranuclear and cytoplasmic, in tunicate oocytes of different stages of growth and development, EM study, 471
Autoradiography, quantitative, microscopic determination of phosphorus in neutron-activated sections of human cortical bone by, 31
Axostyles, contractile, of flagellate protozoa, fine structure and function of, EM study, 387

B

Bacteria, *Escherichia coli*, localization of succinic dehydrogenase system in, cytochemical and EM study, 285
Basal bodies, ciliary, (kinetosomes), of protozoa *Tetrahymena pyriformis*, isolation of, biochemical and EM study, 154
Bean, *Vicia faba*, mechanism of 5-aminouracil–induced synchrony of cell division in root meristems, autoradiographic study, 401
Beef brain phospholipids, isolated, fixation with tricomplex flocculation by means of suitable ions, structure of phospholipid models as basis for interpretation of structure of cell membrane, EM study, 23
Birds, canary and other, patterns of cristae of mitochondria in ventricular myocardium, correlation of heart rate and mitochondrial size and crista structure, EM study, 1
Blastoporal groove, of early gastrula of frog *Hyla regilla*, fine structure and morphogenetic movements in, EM study, 95
Bone, cortical, of human, microscopic determination of phosphorus by quantitative autoradiography of neutron-activated sections of, 31

C

Cardiac muscle, of canary and other birds, patterns of cristae of mitochondria of, correlation of heart rate and mitochondrial size and complexity of crista structure, EM study, 1
Cell, companion, of phloem, of stems of sycamore *Acer pseudoplatanus*, fine structure and development of, EM study, 117
— division, mechanism of 5-aminouracil–induced synchrony of in root meristems of bean *Vicia faba*, autoradiographic study, 401
— (HeLa) cultures, effects of parathyroid hormone on, morphologic aspects, 316
— wall, in diatom *Cylindrotheca fusiformis*, structure of, studies on biochemistry and fine structure of silica shell formation, EM study, 39
Cells, derived from mouse liver, in tissue culture, study of development of mouse hepatitis virus in, virus-cell interaction, EM study, 57
—, L strain fibroblasts, structure of mitotic spindle in, EM study, 433
—, mesenchymal, in umbilical cord of rat fetuses, unusual arrangement of ribosomes in, EM study, 324
Chloroplast stroma, of leaves of oat *Avena sativa*, fine structure of after aldehyde–osmium tetroxide fixation, EM study, 79
Ciliary basal bodies (kinetosomes), of protozoa *Tetrahymena pyriformis*, isolation of, biochemical and EM study, 154
Companion cell of phloem, of stems of sycamore *Acer pseudoplatanus*, fine structure and development of, EM study, 117
Cristae, of mitochondria of cardiac muscle, in canary and other birds, correlation of heart rate and mitochondrial size and complexity of crista structure, EM study, 1
Cytolysomes, in erythrocytes, of salamanders *Triturus* and *Amphiuma*, light and EM study of, 146
Cytoplasmic DNA, evidence for in root cells of tobacco plant *Nicotiana tabacum*, autoradiographic study, 267

D

Diatom, *Cylindrotheca fusiformis*, structure of cell wall in, studies on biochemistry and fine structure of silica shell formation, EM study, 39
DNA, cytoplasmic, evidence for in root cells of tobacco plant *Nicotiana tabacum*, autoradiographic study, 267
Dog, exocrine pancreas, fine structural changes in various cell types in response to hormonal stimulation of perfused isolated organ, EM study, 369
— and steer, urinary bladder, lysosomal fractions from transitional epithelium of, histochemical and biochemical study, 259
Duodenal absorptive cells, of rat, mitochondrial changes induced by iron absorption in, EM study, 328

E

Eel (Japanese), *Lyncozymba nystromi*, observations on fine structure of lateral line organ of, 193

Electric organ, of fish *Torpedo marmorata*, fine structure of, 129
Embryonic cells, in gastrula of frog *Hyla regilla*, fine structure and morphogenetic movements, EM study, 95
Enzymes, acid phosphatases, of protozoa *Euglena gracilis*, biochemical study, 223
—, acid phosphatases, of protozoa *Euglena gracilis*, cytochemical and light and EM study, 235
—, succinic dehydrogenase system, localization of in bacteria *Escherichia coli*, cytochemical and EM study, 285
Epithelia, keratinizing, of vertebrates, membrane-coating granules of, EM study, 297
Epithelium, transitional, of urinary bladder of dog and steer, lysosomal fractions from, histochemical and biochemical study, 259
Erythrocytes, of salamanders *Triturus* and *Amphiuma*, light and EM study of cytolysomes in, 146
Exocrine pancreas, of dog, fine structural changes in various cell types in response to hormonal stimulation of perfused isolated organ, EM study, 369
Eye, of toad *Xenopus laevis*, changes in cell fine structure during lens regeneration, EM study, 211

F

Fibroblasts, L strain, structure of mitotic spindle in, EM study, 433
Fish, *Torpedo marmorata*, fine structure of electric organ of, EM study, 129
Fixation with aldehyde–osmium tetroxide procedure, fine structure of chloroplast stroma of leaves of oat *Avena sativa* after, EM study, 79
— with tricomplex flocculation by means of suitable ions, structure of phospholipid models as basis for interpretation of structure of cell membranes, using phospholipids isolated from beef brain, EM study, 23
Flagellate protozoa, fine structure and function of contractile axostyles of, EM study, 387
Frog, *Hyla regilla*, fine structure and morphogenetic movements in gastrula of, EM study, 95
Fungus, *Fusarium* sp., multiperforate septations and Woronin bodies and septal plugs in, EM study, 489
—, *Neurospora crassa*, formation of mitochondria in, study based on mitochondrial density changes, biochemical and EM study, 461
—, *Neurospora crassa*, influence of precursor pool size on mitochondrial composition of, biochemical and EM study, 445

G

Gastrula, of frog *Hyla regilla*, fine structure and morphogenetic movements in, EM study, 95
Gland, sternal, of termite *Zootermopsis nevadensis*, new apical microtubule-associated organelle in columnar cells of, EM study, 277
Golgi apparatus, intercisternal structure in, of epidermal and cap cells in maize seedlings, EM study, 504
Granules, membrane-coating, of keratinizing epithelia of vertebrates, EM study, 297
Grasshopper, *Chortophaga viridifasciata*, fine structure of nucleolus during mitosis in neuroblast cells of embryo, EM study, 349

H

HeLa cell cultures, effects of parathyroid hormone on, morphologic aspects, 316
— cells, evidence for synthesis of lysine-containing ribonucleoprotein in nucleoli and its inhibition by Actinomycin D, autoradiographic and cytochemical study, 309
Hormonal stimulation, of perfused isolated pancreas of dog, fine structural changes in various cell types in exocrine pancreas in response to, EM study, 369
Hormone, parathyroid, effects of on HeLa cell cultures, morphologic aspects, 316
Human, cortical bone, microscopic determination of phosphorus by quantitative autoradiography of neutron-activated sections of, 31
—, liver, crystalline structures in mitochondria of normal parenchymal cells, EM study, 511
—, smallpox virus, ontogenesis of, EM study, 337
Hydrostatic pressure, effects of high pressure on protozoa *Amoeba proteus*, changes in shape and volume and surface area, 332

I

Iron absorption, in duodenal absorptive cells of rat, mitochondrial changes induced by, EM study, 328

K

Keratinizing epithelia, of vertebrates, membrane-coating granules of, EM study, 297
Kinetosomes (ciliary basal bodies), of protozoa *Tetrahymena pyriformis*, isolation of, biochemical and EM study, 154

L

Lamellae, annulate, intranuclear and cytoplasmic, in tunicate oocytes of different stages of growth and development, EM study, 471
Lateral line organ, of Japanese sea eel *Lyncozymba nystromi*, observations on fine structure of, 193
Lens regeneration, in toad *Xenopus laevis*, changes in cell fine structure during, EM study, 211
Lipid models, structure of phospholipid models as basis for interpretation of structure of cell membranes, fixation with tricomplex flocculation by means of suitable ions, using phospholipids isolated from beef brain, EM study, 23
Liver cells, derived from mouse, in tissue culture, study of development of mouse hepatitis virus in, virus-cell interaction, EM study, 57
—, of human, crystalline structures in mitochondria of normal parenchymal cells, EM study, 511
—, of rat, atypical form of mitochondria in normal liver, EM study, 500
—, of rat, improved method for isolation of nuclei of by density centrifugation, biochemical and EM study, 157
Lysosomal fractions, from transitional epithelium of

urinary bladder of dog and steer, histochemical and biochemical study, 259

M

Maize seedlings, intercisternal structure in Golgi apparatus in epidermal and cap cells of, EM study, 504
Mesenchymal cells, in umbilical cord of rat fetuses, unusual arrangement of ribosomes in, EM study, 324
Microtubule-associated organelle, in apical portion of columnar cells of sternal gland of termite *Zootermopsis nevadensis*, EM study, 277
Mitochondria, atypical form, in normal liver of rat, EM study, 500
—, crystalline structures in, of parenchymal cells of normal liver of human, EM study, 511
—, formation of in fungus *Neurospora crassa*, study based on mitochondrial density changes, biochemical and EM study, 461
—, in neurons of abdominal ganglia of moth *Galleria mellonella*, particles on cristae of, EM study, 497
—, in ventricular myocardium, of canary and other birds, patterns of cristae of, correlation of heart rate and mitochondrial size and complexity of crista structure, EM study, 1
Mitochondrial changes induced by iron absorption, in duodenal absorptive cells, of rat, EM study, 328
— composition in fungus *Neurospora crassa*, influence of precursor pool size on, biochemical and EM study, 445
Mitosis, in neuroblast cells of embryo of grasshopper *Chortophaga viridifasciata*, fine structure of nucleolus during, EM study, 349
Mitotic spindle, structure of, in L strain fibroblasts, EM study, 433
Morning glory, *Ipomoea purpurea*, apparent helical arrangement of ribosomes in developing pollen mother cells of, EM study, 150
Moth, *Galleria mellonella*, particles on cristae of mitochondria in neurons of abdominal ganglia, EM study, 497
Mouse liver-derived cells, in tissue culture, study of development of mouse hepatitis virus in, virus-cell interaction, EM study, 57
Muscle, cardiac, of canary and other birds, patterns of cristae of mitochondria of, correlation of heart rate and mitochondrial size and complexity of crista structure, EM study, 1

N

Nerve tissue, cultured spinal cord, EM study, 163
Neuroblast cells, of embryo of grasshopper *Chortophaga viridifasciata*, fine structure of nucleolus during mitosis of, EM study, 349
Neurons, of abdominal ganglia of moth *Galleria mellonella*, particles on cristae of mitochondria of, EM study, 497
Nuclei, of rat liver, improved method for isolation of by density centrifugation, biochemical and EM study, 157
Nucleoli, of HeLa cells, evidence for synthesis of lysine-containing ribonucleoprotein and its inhibition by Actinomycin D, autoradiographic and cytochemical study, 309
Nucleolus, of neuroblast cells, of embryo of grasshopper *Chortophaga viridifasciata*, fine structure of during mitosis, EM study, 349

O

Oat plant, *Avena sativa*, fine structure of differentiating xylem elements in coleoptiles of, EM study, 415
— plants, *Avena sativa*, fine structure of chloroplast stroma after aldehyde–osmium tetroxide fixation of leaves, EM study, 79
Oocytes, at different stages of growth and development of tunicates, intranuclear and cytoplasmic annulate lamellae in, EM study, 471
Organelle, new, microtubule-associated, in apical portion of columnar cells of sternal gland of termite *Zootermopsis nevadensis*, EM study, 277

P

Pancreas, exocrine, of dog, fine structural changes in various cell types in response to hormonal stimulation of perfused isolated organ, EM study, 369
Parathyroid hormone, effects of on HeLa cell cultures, morphologic aspects, 316
Pellicle complex, of protozoa *Euglena gracilis*, ultrastructure of, 253
Phloem, of stems of sycamore *Acer pseudoplatanus*, fine structure and development of companion cell of, EM study, 117
Phospholipids, isolated, of beef brain, fixation with tricomplex flocculation by means of suitable ions, structure of phospholipid models as basis for interpretation of structure of cell membranes, EM study, 23
Phosphorus, in human cortical bone, microscopic determination of by quantitative autoradiography of neutron-activated sections, 31
Pollen mother cells, of morning glory *Ipomoea purpurea*, apparent helical arrangement of ribosomes in, EM study, 150
Protoplasts, of immature tomato fruit, technique for large-scale isolation of, 143
Protozoa, *Amoeba proteus*, effects of high hydrostatic pressure on, changes in shape and volume and surface area, 332
—, *Euglena gracilis*, localization of acid phosphatases in, cytochemical and light and EM study, 235
—, *Euglena gracilis*, observations on acid phosphatases of, biochemical study, 223
—, *Euglena gracilis*, ultrastructure of pellicle complex of, 253
—, flagellates, fine structure and function of contractile axostyles of, EM study, 387
—, *Tetrahymena pyriformis*, isolation of ciliary basal bodies (kinetosomes), biochemical and EM study, 154

R

Radioactive label, labeled choline, incorporation into cellular lipids, study of influence of precursor pool

size on mitochondrial composition in fungus *Neurospora crassa*, biochemical and EM study, 445
— label, P^{32}, microscopic determination of phosphorus in neutron-activated sections of human cortical bone, quantitative autoradiographic study, 31
— label, thymidine-H^3 and cytidine-H^3, incorporation into root cells of tobacco plant *Nicotiana tabacum*, evidence for cytoplasmic DNA, autoradiographic study, 267
— label, thymidine-H^3, thymidine-C^{14}, deoxycytidine-H^3, incorporation into root meristems of bean *Vicia faba*, mechanism of 5-aminouracil–induced synchrony of cell division, autoradiographic study, 401
— label, uridine-H^3, cytidine-H^3, lysine-H^3, incorporation into HeLa cells, evidence for synthesis of lysine-containing ribonucleoprotein in nucleoli and its inhibition by Actinomycin D, autoradiographic and cytochemical study, 309
Rat, cultured spinal cord, EM study, 163
—, duodenal absorptive cells, mitochondrial changes induced by iron absorption in, EM study, 328
— fetus, umbilical cord, unusual arrangement of ribosomes in mesenchymal cells of, EM study, 324
—, liver, atypical form of mitochondria in normal liver, EM study, 500
—, liver, improved method for isolation of nuclei of by density centrifugation, biochemical and EM study, 157
Ribonucleoprotein, lysine-containing, evidence for synthesis of in nucleoli and its inhibition by Actinomycin D in HeLa cells, autoradiographic and cytochemical study, 309
Ribosomes, apparent helical arrangement of in developing pollen mother cells of morning glory *Ipomoea purpurea*, EM study, 150
—, unusual arrangement of in mesenchymal cells of umbilical cord of rat fetuses, EM study, 324

S

Salamanders, *Triturus* and *Amphiuma*, light and EM study of cytolysomes in erythrocytes of, 146
Sensory receptor, lateral line organ, of Japanese sea eel *Lyncozymba nystromi*, observations on fine structure of, 193
Septal plugs, multiperforate septations, and Woronin bodies in fungus *Fusarium* sp., EM study, 489
Septations, multiperforate, and Woronin bodies and septal plugs, in fungus *Fusarium* sp., EM study, 489
Silica shell formation, in diatom *Cylindrotheca fusiformis*, studies on biochemistry and fine structure of, EM study of cell wall, 39
Spinal cord, cultured, of rat, EM study, 163
Spindle, mitotic, structure of in L strain fibroblasts, EM study, 433
Succinic dehydrogenase system, localization of in bacteria *Escherichia coli*, cytochemical and EM study, 285
Sycamore, *Acer pseudoplatanus*, fine structure and development of companion cell of phloem of stems of, EM study, 117

T

Termite, *Zootermopsis nevadensis*, new apical microtubule-associated organelle in columnar cells of sternal gland of, EM study, 277
Toad, *Xenopus laevis*, changes in cell fine structure during lens regeneration in, EM study, 211
Tobacco plant, *Nicotiana tabacum*, evidence for cytoplasmic DNA in root cells of, autoradiographic study, 267
Tomato fruit, immature, technique for large-scale isolation of protoplasts, 143
Tunicates, oocytes of at different stages of growth and development, intranuclear and cytoplasmic annulate lamellae in, EM study, 471

U

Urinary bladder, of dog and steer, lysosomal fractions from transitional epithelium of, histochemical and biochemical study, 259

V

Vertebrates, keratinizing epithelia, membrane-coating granules of, EM study, 297
Virus, human smallpox, ontogenesis of, EM study, 337
—, mouse hepatitis, study of development in mouse liver–derived cells in tissue culture, virus-cell interaction, EM study, 57

W

Woronin bodies, multiperforate septations, and septal plugs in fungus *Fusarium* sp., EM study, 489

X

Xylem elements, differentiating, in coleoptiles of oat plant *Avena sativa*, EM study, 415